

NSF/ANSI STANDARD 14

Plastics Piping System Components and Related Materials

ROTH INDUSTRIES, INC.

268 BELLEW AVENUE SOUTH
WATERTOWN, NY 13601
888-266-7684
315-755-1011

Facility : BUCHENAU, GERMANY

Radiant Floor Heating

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings# *</i>	<i>CDA 360</i>	<i>Roth</i>	<i>ASTM F877</i>
PEX Fitting Assemblies (Compression)			
3/8" PEX	1/2" PEX	5/8" PEX	3/4" PEX

Fittings tested as a system using Roth PEX tubing manufactured by Roth Industries.

* Accepted by NSF for use in residential and commercial construction, including manufactured housing. Products accepted for radiant floor heating end use only.

Facility : DATTELN, GERMANY

Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Tubing* + ^ ¢ §</i>	<i>PEX</i>	<i>Roth</i>	<i>CSA B137.5</i>
3/8" thru 1" SDR 9			

* Accepted by NSF for use in residential and commercial construction, including manufactured housing.

+ Material complies with NSF/ANSI Standard 61 health effects requirements.

^ Tubing designed for use with Roth fittings only.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Radiant Floor Heating

Product Type	Material Type	Trade Name	Product Standard
<i>Tubing* @ § 3/8" - 1"</i>	<i>PEX</i>	<i>DuoPex-c S5</i>	<i>ASTM F876/F877</i>

* Accepted by NSF for use in residential and commercial construction, including manufactured housing.
 @ This barrier tubing product has been evaluated against the performance requirement of ASTM F876/F877. This product is not NSF Certified for use in a potable water distribution system. This product has been evaluated for use in radiant floor heating. (NSF-rfh), applications only.
 § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

<i>Tubing* @ § 3/8" - 1"</i>	<i>PEX</i>	<i>DuoPex</i>	<i>ASTM F876/F877</i>
----------------------------------	------------	---------------	-----------------------

* Accepted by NSF for use in residential and commercial construction, including manufactured housing.
 @ This barrier tubing product has been evaluated against the performance requirement of ASTM F876/F877. This product is not NSF Certified for use in a potable water distribution system. This product has been evaluated for use in radiant floor heating. (NSF-rfh), applications only.
 § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

<i>Tubing (SE)# * @ ¢ 3/8", 1/2", 5/8", 3/4", 1" SDR 9</i>	<i>PEX</i>	<i>Roth PEX - Natural tubing with O2 barrier</i>	<i>ASTM F876/F877</i>
--	------------	--	-----------------------

Tubing is Certified as a system using Roth Industry Fittings only.
 * Accepted by NSF for use in residential and commercial construction, including manufactured housing.
 @ This barrier tubing product has been evaluated against the performance requirement of ASTM F876/F877. This product is not NSF Certified for use in a potable water distribution system. This product has been evaluated for use in radiant floor heating. (NSF-rfh), applications only.
 ¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

<i>Tubing (SE)# * @ ¢</i>	<i>PEX</i>	<i>Roth PEX - Natural tubing with O2 barrier</i>	<i>CSA B137.5</i>
---------------------------	------------	--	-------------------

3/8", 1/2", 5/8", 3/4", 1" SDR 9

- # Tubing is Certified as a system using Roth Industry Fittings only.
- * Accepted by NSF for use in residential and commercial construction, including manufactured housing.
- @ This barrier tubing product has been evaluated against the performance requirement of ASTM F876/F877. This product is not NSF Certified for use in a potable water distribution system. This product has been evaluated for use in radiant floor heating. (NSF-rfh), applications only.
- ¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.